

RIFO Revisited: Detecting Relaxed Irrelevance

Jörg Hoffmann* and Bernhard Nebel

Institute for Computer Science
 Albert Ludwigs University
 Georges-Köhler-Allee, Geb. 52
 79110 Freiburg, Germany
 {hoffmann, nebel}@informatik.uni-freiburg.de

Abstract

RIFO, as has been proposed by Nebel et al. (Nebel, Dimopoulos, and Koehler 1997), is a method that can automatically detect irrelevant information in planning tasks. The idea is to remove such irrelevant information as a pre-process to planning. While RIFO has been shown to be useful in a number of domains, its main disadvantage is that it is not completeness preserving. Furthermore, the pre-process often takes more running time than nowadays state-of-the-art planners, like FF, need for solving the entire planning task.

We introduce the notion of relaxed irrelevance, concerning actions which are never needed within the relaxation that heuristic planners like FF and HSP use for computing their heuristic values. The idea is to speed up the heuristic functions by reducing the action sets considered within the relaxation. Starting from a sufficient condition for relaxed irrelevance, we introduce two preprocessing methods for filtering action sets. The first preprocessing method is proven to be completeness-preserving, and is empirically shown to terminate fast on most of our testing examples. The second method is fast on all our testing examples, and is empirically safe. Both methods have drastic pruning impacts in some domains, speeding up FF's heuristic function, and in effect the planning process.

Introduction

RIFO, as has been proposed by Nebel et al. (Nebel, Dimopoulos, and Koehler 1997), is a method that can automatically detect irrelevant information in planning tasks. A piece of information can be considered irrelevant if it is not necessary for generating a solution plan. The idea is to remove such irrelevant information as a pre-process in the hope to speed up the planning process. While RIFO has been shown to be useful for speeding up GRAPHPLAN in a number of domains, it does not guarantee that the removed information is really irrelevant. In effect, RIFO is not completeness preserving. Furthermore, the pre-process itself can take a lot of running time. While RIFO can be proven to terminate in polynomial time, it—or at least its implementation within IPP4.0 (Koehler et al. 1997)—is on a lot of planning

tasks not competitive with nowadays state-of-the-art planners. In our experiments on a large range of tasks from different domains, we found that in most examples RIFO needs more running time to finish the pre-process than FF needs for solving the entire task.

In this paper, we present a new approach towards defining and detecting irrelevance. We explore the idea of *relaxed irrelevance*, which concerns pieces of information, precisely STRIPS actions, that are not needed within the relaxation that state-of-the-art heuristic planners like FF (Hoffmann and Nebel 2001a) and HSP (Bonet and Geffner 2001) use for computing their heuristic values. Those planners evaluate each search state S by estimating the solution length from S under the relaxation that all delete lists are ignored (this idea has first been proposed by Bonet et al. (Bonet, Loerincs, and Geffner 1997)). The main bottleneck in FF and HSP is the heuristic evaluation of states, so it is worthwhile trying to improve on the speed of such evaluations. Our idea is to speed up the heuristic functions by reducing the action sets considered within the relaxation. Actions that are relaxed irrelevant need never be considered. We define the notion of *legal generation paths*, and prove that an action is relaxed irrelevant if it does not start such a path. Deciding about legal generation paths is still NP-hard, so we introduce two approximation techniques. Both can be used as preprocessing methods for filtering the action set to be considered within the relaxation. The first preprocessing method includes all actions that start a legal generation path, and can therefore safely be applied to the relaxation. The pre-process terminates fast on most of our testing examples in the sense that it is orders of magnitude faster than FF. The second approximation method is fast on all our testing examples, and while it is not provably completeness preserving, it is empirically safe: from a large testing suite, no single example task got unsolvable because of the filtering process.

We introduce our theoretical investigations and algorithmic techniques within the STRIPS framework, and summarize how they are extended to deal with conditional effects. Both action filtering methods can in principle be used as a pre-process to either FF or HSP—or rather as a pre-process to any planner that uses the same relaxation—and both methods have drastic pruning impacts in some domains. We have implemented the methods as a pre-process to FF, and show that they significantly speed up FF's heuris-

*Current address: Saarland University, Saarbrücken, Germany, hoffmann@cs.uni-saarland.de
 Copyright © 2014, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.

tic function, and in effect the plan generation process, in those cases where the pruning impact is high.

The next section gives the necessary background in terms of STRIPS notations and heuristic forward state space planning as done by FF and HSP. Section defines and investigates our notions of relaxed irrelevance and legal generation paths.¹ Section explains two ways of approximating legal generation paths, yielding the above described two action filtering methods. Section summarizes how our analysis is extended to ADL domains, and Section describes the experiments we made for evaluating the approach. Section explains two lines of work that we are currently exploring. Section concludes.

Background

We introduce our theoretical observations and our algorithms in a propositional STRIPS (Fikes and Nilsson 1971) framework.

Definition 1 A state S is a finite set of logical atoms. An action o is a triple $o = (pre(o), add(o), del(o))$ where $pre(o)$ are the preconditions, $add(o)$ is the add list, and $del(o)$ is the delete list, each being a set of atoms. The result of applying a single action to a state is:

$$Result(S, \langle o \rangle) = \begin{cases} (S \cup add(o)) \setminus del(o) & pre(o) \subseteq S \\ \text{undefined} & \text{otherwise} \end{cases}$$

The result of applying a sequence of more than one action to a state is recursively defined as $Result(S, \langle o_1, \dots, o_n \rangle) = Result(Result(S, \langle o_1, \dots, o_{n-1} \rangle), \langle o_n \rangle)$. A planning task $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$ is a triple where \mathcal{O} is the set of actions, and \mathcal{I} (the initial state) and \mathcal{G} (the goals) are sets of atoms.

Plans are simple sequences of actions throughout the paper, i.e., we do not consider parallelism. FF and HSP do, in their current versions, not allow for any concurrency between action applications.

Definition 2 Given a planning task $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$. A plan or solution is a sequence $P = \langle o_1, \dots, o_n \rangle$ of actions in \mathcal{O} that solves the task, i.e., for which $\mathcal{G} \subseteq Result(\mathcal{I}, P)$ holds.

A plan $P = \langle o_1, \dots, o_n \rangle$ is called *minimal*, if no single action can be left out of the sequence without loosing the solution property, i.e., if $\langle o_1, \dots, o_{i-1}, o_{i+1}, \dots, o_n \rangle$ is not a solution for any o_i . The *length* of a plan is the number of actions in the sequence. A plan for a task \mathcal{P} is *optimal* if it has minimal length among all plans for \mathcal{P} . Obviously, optimal plans are minimal. We will need those notations when deriving our sufficient condition for relaxed irrelevance.

FF is based on the general principle of heuristic forward state space search, as has first been implemented in HSP1.0 (Bonet and Geffner 1998). The idea is to search in the space of states that are reachable from the initial state, trying to minimise a heuristic value that is computed to each considered state. The heuristic evaluation in both FF and HSP is based on the following relaxation.

¹We only sketch our proofs. The complete proofs can be found in a longer version of the paper, available as a technical report (Hoffmann and Nebel 2001b).

Definition 3 Given a planning task $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$. The relaxation \mathcal{P}' of \mathcal{P} is defined as $\mathcal{P}' = (\mathcal{O}', \mathcal{I}, \mathcal{G})$, with

$$\mathcal{O}' = \{(pre(o), add(o), \emptyset) \mid (pre(o), add(o), del(o)) \in \mathcal{O}\}$$

In words, a planning task is relaxed by ignoring all delete lists. When either FF or HSP face a search state S , they estimate the length of a relaxed solution starting in S , i.e., they estimate the solution length of the task $(\mathcal{O}', S, \mathcal{G})$. In HSP, this is done by computing certain weight values for all facts, where the weight of a fact is an estimate of how difficult it is to achieve that fact from S . Computing these weight values involves a fixpoint computation that iteratively applies all actions until no more changes occur (Bonet, Lorerins, and Geffner 1997). In FF, the solution length to $(\mathcal{O}', S, \mathcal{G})$ is estimated by extracting an explicit solution in a GRAPHPLAN-style manner (Blum and Furst 1997; Hoffmann and Nebel 2001a). The technique is based on building a relaxed version of GRAPHPLAN's planning graph, which involves, like HSP's method, repeated application of all actions.

The main bottleneck in HSP, i.e., the main source of running time consumed, is the heuristic evaluation of states (Bonet and Geffner 1999). The same applies to FF. While heuristic evaluation is implemented efficiently in both systems, usually no more than a few hundred state evaluations can take place in a second (for FF, Section provides averaged running times per state evaluation on a large range of domains). In some huge planning tasks, we have observed that a single evaluation in FF can take up to half a second running time. This is due to the large number of actions that there are in instantiated planning tasks. With ten-thousands of actions to be considered, FF's process of building a relaxed planning graph, and HSP's process of computing a weight fixpoint, must be costly no matter how efficient the implementation is. Our idea, consequently, is to reduce the number of actions that the planners need to consider within the relaxation, i.e., to compute as a pre-process a set $\mathcal{O}|_r$ of actions that are considered relevant for the relaxation. During search, one can then estimate solution lengths to the tasks $(\mathcal{O}|_r, S, \mathcal{G})$ as opposed to using the whole action set in the tasks $(\mathcal{O}', S, \mathcal{G})$.

Of course, the set $\mathcal{O}|_r$ can not be chosen arbitrarily small. If important actions are missed out, then the task $(\mathcal{O}|_r, S, \mathcal{G})$ can become unsolvable for a state S though it would be solvable with the original action set. In other words, one runs the risk of loosing relaxed completeness. If the task $(\mathcal{O}|_r, S, \mathcal{G})$ is unsolvable, which both HSP's and FF's algorithmic methods will detect, then the systems set the heuristic value of S to ∞ , excluding the state from the search space. While this is normally justified—if a state can not be solved even when ignoring delete lists, then that state is unsolvable—it can lead to incompleteness if solving $(\mathcal{O}|_r, S, \mathcal{G})$ only failed because $\mathcal{O}|_r$ does not contain some important action(s).² The

²One might argue that this could be fixed by setting the heuristic value of S to a large integer instead of ∞ . While this would regain completeness, it would also make the adequacy of the heuristic questionable: If a large number of states have the same high heuristic evaluation only because $\mathcal{O}|_r$ is too restrictive, then the heuristic is not very informative about the real structure of the search space.

rest of the paper is inspired by the observation that it is possible to define a notion of relevance that maintains relaxed completeness.

Relaxed Irrelevance

We consider an action relaxed irrelevant if it never appears in an optimal relaxed solution. Clearly, such actions can be ignored within the relaxation without losing completeness.

Definition 4 Let $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task. An action $o \in \mathcal{O}$ is relaxed irrelevant if o is not part of any optimal relaxed solution from any reachable state.

One might be tempted to consider an action irrelevant already when to all reachable states there is *at least one* optimal relaxed solution without that action. While this is adequate for a single action, it would not allow us to remove more than one action: Consider the case where two actions can be used alternatively for solving a state. Each single one can be replaced by the other one, but removing both renders the state unsolvable. This can not happen with the above definition of relaxed irrelevance, where both actions must be entirely useless for being removed. Deciding about relaxed irrelevance is PSPACE-hard.

Definition 5 Let RELAXED-IRRELEVANCE denote the following problem:

Given a planning task $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ and an action $o \in \mathcal{O}$, is o relaxed irrelevant?

Theorem 1 Deciding RELAXED-IRRELEVANCE is PSPACE-hard.

Proof Sketch: By a polynomial reduction from PLANSAT, the decision problem of whether there exists a solution plan for a given arbitrary STRIPS planning task (Bylander 1994): First rename all atoms in the original task. Then put original o into the renamed action set, plus two artificial actions: one requiring the renamed goal to be solved, deleting all renamed atoms, and adding o 's precondition, the other needing o 's adds, and achieving the renamed goal. o is needed for an optimal relaxed solution in the modified task if and only if the original task is solvable. ■

A Sufficient Condition

As an exact decision about relaxed irrelevance is as hard as planning itself, we now derive a sufficient condition. The following definition forms the heart of our investigation.

Definition 6 Let $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task. The generation graph to the task is defined by the node set $\mathcal{O} \cup \{o_G\}$, with $o_G := (\mathcal{G}, \emptyset, \emptyset)$, and the edge set

$$\{(o, o') \mid \text{add}(o) \cap \text{pre}(o') \neq \emptyset\}$$

We refer to paths $P = \langle o_1, \dots, o_n = o_G \rangle$ in this graph as generation paths. We call $\text{add}(o_i) \cap \text{pre}(o_{i+1})$ the connecting facts at position i . P is legal if at each position there is at least one connecting fact that is not contained in the preconditions of the previous actions, i.e., if for $1 \leq i \leq n-1$:

$$(\text{add}(o_i) \cap \text{pre}(o_{i+1})) \setminus \bigcup_{1 \leq j \leq i} \text{pre}(o_j) \neq \emptyset$$

The generation graph to a task intuitively represents all ways in which facts can be achieved. A generation path is a sequence of actions that support each other, and that end up making at least one goal true. We will see in the following that the only generation paths that are adequate in minimal relaxed solutions are those generation paths that are legal. Precisely, we will show the following.

Theorem 2 Let $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task, S a state, and $P = \langle o_1, \dots, o_n \rangle$ a minimal relaxed solution to S . Then for all o_i there exists a legal generation path P_i starting with o_i .

With that, we immediately have our sufficient condition.

Corollary 1 Let $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task, $o \in \mathcal{O}$. If there is no legal generation path P starting with o , then o is not part of any minimal relaxed solution from any state. In particular, o is then relaxed irrelevant.

Semantically, Definition 6 can be seen as a modification of the base technique that is used in RIFO. The relation between the techniques gives a nice picture of what is happening. Briefly, it can be explained as follows. To create an expectation of what is relevant for solving a planning task, RIFO builds a so-called fact-generation tree. This is an AND-OR-tree that is built by backchaining from the goals. The root node is an AND-node corresponding to the goals. Other AND-nodes correspond to an action's preconditions, and the OR-nodes are single atoms that can alternatively be achieved by different actions. Once this tree is generated, RIFO applies a number of simple heuristics to select the information from the tree that is likely most relevant. Now, the set of all legal generation paths can be viewed as a more restrictive version of RIFO's fact-generation tree, where an action is only allowed to achieve an OR-node if the intersection of the action's precondition with the facts on the path from the OR-node to the tree root is empty. This is adequate (only) for relaxed planning. While RIFO selects fractions of its tree as relevant, we select the whole tree. This gives us completeness in the relaxation. The proof to Theorem 2 proceeds using what we call the *needed facts*, which are the facts for whose achievement actions can be placed at a certain position in a relaxed solution.

Definition 7 Let $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task, S a state, and $P = \langle o_1, \dots, o_n \rangle$ a relaxed solution to S . The open facts $OF(P, i)$ of P at position i are

$$OF(P, i) := (\mathcal{G} \setminus \bigcup_{i < j \leq n} \text{add}(o_j)) \cup$$

$$\bigcup_{i < j \leq n} (\text{pre}(o_j) \setminus \bigcup_{i < k < j} \text{add}(o_k)),$$

and the needed facts $NF(P, i)$ of P at position i are

$$NF(P, i) := OF(P, i) \setminus (S \cup \bigcup_{1 \leq j < i} \text{add}(o_j))$$

An action placed at position i in a relaxed plan P must add all needed facts of P at position i , and in a minimal relaxed plan there is at least one needed fact at each position.

Lemma 1 Let $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task, S a state, and $P = \langle o_1, \dots, o_n \rangle$ a relaxed solution to S . Then $\text{add}(o_i) \supseteq \text{NF}(P, i)$ holds for $1 \leq i \leq n$.

Proof Sketch: If an action does not add a needed fact, then P is no relaxed solution, because either some precondition ahead or some goal remains unachieved. ■

Lemma 2 Let $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task, S a state, and $P = \langle o_1, \dots, o_n \rangle$ a minimal relaxed solution to S . Then $\text{NF}(P, i) \neq \emptyset$ holds for $1 \leq i \leq n$.

Proof Sketch: If there is no needed fact at position i , then P without o_i is still a relaxed solution—all facts that must be achieved are true without applying o_i . ■

Using the above two lemmata, Theorem 2 can be proven, stating that to all actions o_i in a minimal relaxed solution $P = \langle o_1, \dots, o_n \rangle$ there is a legal generation path P_i starting with o_i .

Proof Sketch: (to Theorem 2) The desired paths P_i can be constructed by starting with o_i , successively stepping onto a successor action that has a needed fact as precondition, and stopping when a goal fact is needed. With Lemma 2, there is always at least one needed fact, and with Lemma 1, those facts are added. The resulting action sequence is obviously a generation path, and it is legal because facts are not yet true at the position where they are needed. ■

Unfortunately, deciding about the sufficient condition given by Corollary 1 is still NP-hard.

Definition 8 Let *LEGAL-GENERATION-PATH* denote the following problem:

Given a planning task $(\mathcal{O}, \mathcal{I}, \mathcal{G})$ and an action $o \in \mathcal{O}$, is there a legal generation path starting with o ?

Theorem 3 Deciding *LEGAL-GENERATION-PATH* is NP-complete.

Proof Sketch: Membership follows by a simple guess-and-check argument. Hardness can be proven by a polynomial reduction from 3SAT. Introduce one action for each literal in the clauses, and one action for each variable. Additionally, introduce a starting action s . The preconditions and add lists can be arranged such that the following holds: Firstly, a generation path starting with s must visit all clauses at least once, and afterwards pass through all variables. Secondly, passing a variable legally requires that the path has not visited the respective variable *and* its negation. A legal generation path starting in s thus defines a satisfying truth assignment via the literals visited in the clauses, and vice versa. ■

Approximation Techniques

We will now introduce two polynomial-time approximations of legal generation paths, filtering action sets for relaxed planning. The first method includes all actions that start a legal path, and is therefore complete in the relaxation. As we will see in the next section, the method terminates fast in

almost all of our testing examples. The second method does not give any completeness guarantees, but will be shown to be empirically safe, and to terminate extremely fast on *all* examples in our testing suite.

A Sufficient Approximation

Let us first introduce a notation for the set of all actions that start a legal generation path. With Corollary 1, we can restrict the actions considered by an FF or HSP style heuristic function to that set without loosing completeness.

Definition 9 Let $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task. The legal action set to \mathcal{P} is $\mathcal{O}_l := \{o \in \mathcal{O} \mid \exists P \in \mathcal{O}^* : \langle o \rangle \circ P \text{ is a legal generation path}\}$.

Our sufficient approximation collects together all actions starting generation paths that fulfill a weaker notion of legality. Reconsider Definition 6.

Definition 10 Let $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task. A generation path $P = \langle o_1, \dots, o_n \rangle$ is initially legal if $(\text{add}(o_i) \cap \text{pre}(o_{i+1})) \setminus \text{pre}(o_1) \neq \emptyset$ for $1 \leq i \leq n-1$. The initially legal action set \mathcal{O}_{il} to \mathcal{P} is defined using the following fixpoint operator $\Gamma : 2^{\mathcal{O}} \mapsto 2^{\mathcal{O}}$.

$$\Gamma(\mathcal{O}_l) := \{o \in \mathcal{O} \mid \exists P \in \mathcal{O}_l^* : \langle o \rangle \circ P \text{ is an initially legal generation path}\}$$

We set $\mathcal{O}_{il} := \bigcup_{i=0}^{\infty} \Gamma^i(\emptyset)$.

In words, we obtain the initially legal action set by computing a fixpoint over the actions that start an initially legal generation path. A generation path is initially legal when between any two actions there is a connecting fact that is not contained in the precondition of the first action. Clearly, legal generation paths—where there are connecting facts that are not contained in the precondition of *any* previous action—fulfill this property.

Proposition 1 Let $\mathcal{P} = (\mathcal{O}, \mathcal{I}, \mathcal{G})$ be a planning task. The initially legal action set is a superset of the legal action set, i.e., $\mathcal{O}_{il} \supseteq \mathcal{O}_l$ holds.

The definition of \mathcal{O}_{il} translates directly into the fixpoint computation depicted in Figure 1. Our implementation is straightforward. In each iteration of the fixpoint process, check for all not yet selected actions o whether there is a path to the goals, using only edges that are not excluded by o 's preconditions.

We have also implemented two other sufficient approximations of \mathcal{O}_l . One of those weakens \mathcal{O}_{il} by dropping the condition that the action sequences P must consist of \mathcal{O}_{il} members. The other method strengthens \mathcal{O}_{il} by incrementally building a graph of edges that start already selected paths. The required action sequences P must then traverse only edges that are in the graph already. In our experiments, both methods showed significantly worse runtime behaviour than the above \mathcal{O}_{il} computation. The filtered action sets were, however, the same for all three methods in most of the cases. We therefore chose to concentrate on \mathcal{O}_{il} as a sufficient approximation.

```

 $\mathcal{O}_{il} := \emptyset$ 
repeat
  Fixpoint := TRUE
  for  $o \in \mathcal{O} \setminus \mathcal{O}_{il}$  do
    if there is an initially legal path from  $o$  to  $o_G$ 
      consisting out of actions in  $\mathcal{O}_{il}$  then
       $\mathcal{O}_{il} := \mathcal{O}_{il} \cup \{o\}$ 
      Fixpoint := FALSE
    endif
  endfor
until Fixpoint

```

Figure 1: Fixpoint computation of actions starting initially legal generation paths: A sufficient approximation of legal generation paths.

An Insufficient but Fast Approximation

The approximation that we introduce now does not theoretically include all actions from \mathcal{O}_l . The method is therefore not completeness-preserving in general. It has, however, proven to be empirically safe in our experiments. Moreover, the method terminated extremely fast in all our testing examples. Like the computation of initially legal paths, the method performs a fixpoint computation. Unlike the former computation, the method allows only edges (o, o') in the paths that are legal with respect to o . What's more, each action o is associated with at most one single edge that can be traversed from o . We call the resulting action set the set of *approximative legal* actions \mathcal{O}_{al} . Have a look at the pseudo code in Figure 2.

```

 $\mathcal{O}_{al} := \{o_G\}, e := \emptyset, k := 0$ 
repeat
  Fixpoint := TRUE
  for  $o \in \mathcal{O} \setminus \mathcal{O}_{al}$  do
    if there is an edge  $(o, o'), o' \in \mathcal{O}_{al}$  such that
      the path  $\langle o, e^0(o'), e^1(o'), \dots, e^k(o') = o_G \rangle$ 
      is initially legal then
       $\mathcal{O}_{al} := \mathcal{O}_{al} \cup \{o\}$ 
       $e := e \cup \{(o, o')\}$ 
      Fixpoint := FALSE
    endif
  endfor
   $k := k + 1$ 
until Fixpoint

```

Figure 2: Fixpoint computation of actions starting approximative legal generation paths: An insufficient but fast approximation of legal generation paths.

The algorithm depicted in Figure 2 iteratively includes new actions into \mathcal{O}_{al} until a fixpoint is reached. The key feature of the algorithm is the function $e : \mathcal{O} \mapsto \mathcal{O}$, which is represented in the figure as a set of $(o, e(o))$ pairs. The function starts as the empty set of such pairs, i.e., e is initially undefined for the whole action set. If an action o is included into \mathcal{O}_{al} due to an edge (o, o') , then that edge is included into the definition of e . Initially, the only member of \mathcal{O}_{al} is o_G , so in iteration $k = 0$ the only edges that can be included

are direct connections to the goals. In any later iteration k , e defines a tree of depth k where the root node is o_G , and each node—the actions for which e is defined—occurs exactly once. For the not yet selected actions o it is then checked whether they have an edge connecting them to a tree node o' such that the path $\langle o, e^0(o'), e^1(o'), \dots, e^k(o') = o_G \rangle$ is initially legal. Note here that $\langle o, e^0(o'), e^1(o'), \dots, e^k(o') \rangle$ is just the concatenation of the edge (o, o') with the path from o' to the tree root. If that path is initially legal, then o and the edge (o, o') are included into the tree.³ While allowing only a single edge for each node may sound way to restrictive, the method turned out to be, as said, surprisingly safe in our testing examples.

Extension to Conditional Effects

We have extended our theoretical analysis and approximation algorithms to deal with conditional effects. Because FF compiles away all ADL constructs except the conditional effects (Koehler and Hoffmann 2000; Hoffmann and Nebel 2001a), this enabled us to deal with planning domains specified in the ADL language (Pednault 1989), precisely in the respective sublanguage of PDDL as was used in the AIPS-2000 competition (Bacchus 2000). In the following, we summarise the extensions made to the definitions, proofs, and algorithms introduced in Sections and .

A propositional action with conditional effects is a construct $o = (\text{pre}(o), \Phi(o))$ where $\Phi(o)$ are the effects of o . Each single effect $\phi \in \Phi(o)$ has the form $\phi = (\text{con}, \text{add}, \text{del})$ where con are the effect conditions. A STRIPS action in this framework has a singleton set of effects, the effect condition being empty, i.e., $o = (\text{pre}(o), \{(\emptyset, \text{add}(o), \text{del}(o))\})$.

We say that an effect ϕ of an action o_i in a relaxed solution $P = \langle o_1, \dots, o_n \rangle$ can be ignored in P , if P without ϕ is still a relaxed solution, i.e., if

$$\langle o_1, \dots, o_{i-1}, (\text{pre}(o_i), \Phi(o_i) \setminus \phi), o_{i+1}, \dots, o_n \rangle$$

is a relaxed solution. Recall Definition 4. We call an effect ϕ relaxed irrelevant if it can be ignored in all optimal relaxed solutions from all reachable states. The parallelity to the previous definition is that if the single effect of a STRIPS action can always be ignored, then the whole action can always be thrown out, such that the action is never part of an optimal relaxed solution. As STRIPS is a special case of conditional effects, deciding about the extended notion of relaxed irrelevance is of course also PSPACE-hard.

We extend our investigation of legal generation paths by looking at the set of all effects in a task as a set of STRIPS actions: for an action set \mathcal{O} with conditional effects, look at the set $\text{STRIPS}(\mathcal{O}) := \{(\text{pre}(o) \cup \text{con}, \text{add}, \text{del}) \mid (\text{con}, \text{add}, \text{del}) \in \Phi(o) \text{ for some } o \in \mathcal{O}\}$. The key observation parallellizing Theorem 2 is the following. If an effect can not be ignored in a minimal relaxed solution from some state, then the effect starts a legal generation path in $\text{STRIPS}(\mathcal{O})$. This can be proven by a natural extension of the needed facts notion. Such facts must be made TRUE by

³For optimisation, one obviously only needs to look at actions o' that are leafs of the current tree.

an action. In a minimal solution, there is at least one such fact at each position. If an action does no longer achieve the respective needed facts when its effect ϕ is ignored, then ϕ adds at least one needed fact. This fact is either a goal or the pre- or effect-condition of an important effect ϕ' ahead. A legal generation path in STRIPS(\mathcal{O}) can be created by stopping when a goal is reached, and moving on to ϕ' in the other case.

The parallel statement to Corollary 1 is, obviously, if an effect does not start a legal generation path in STRIPS(\mathcal{O}), then the effect can be ignored in all minimal relaxed solutions, which in particular means that the effect is relaxed irrelevant. Extending the filtering methods from Section comes down to implementing them on the set STRIPS(\mathcal{O}). If an effect does not start an initially or approximative legal generation path in STRIPS(\mathcal{O}), then the effect is removed from the respective action in the sense that the effect is not considered within the relaxation. If all effects of an action are removed, then the whole action is ignored. Remember that STRIPS actions have singleton effect sets, so in that special case the more general techniques simplify exactly to what we described in the previous sections.

Empirical Evaluation

We evaluated our approach by running a number of large scale experiments. We used 20 benchmark planning domains, including all examples from the AIPS-1998 and AIPS-2000 competitions. The domains were *Assembly*, two *Blocksworlds* (three- and four-operator representation), *Briefcaseworld*, *Bulldozer*, *Freecell*, *Fridge*, *Grid*, *Gripper*, *Hanoi*, *Logistics*, *Miconic-ADL*, *Miconic-SIMPLE*, *Miconic-STRIPS*, *Movie*, *Mprime*, *Mystery*, *Schedule*, *Tireworld*, and *Tsp*. In each of these domains, we generated instances by using randomised generation software.⁴ We ran experiments for evaluating

1. RIFO's runtime behaviour when compared to FF,
2. the runtime behaviour and pruning impact of \mathcal{O}_{il} and \mathcal{O}_{al} ,
3. and the empirical safety of \mathcal{O}_{al} .

For each single experiment, we set up a large testing suite containing up to 200 instances from each domain. The testing suites differed in terms of the size of the instances that we generated.

In the first experiment, we ran the RIFO implementation within IPP4.0 versus FF on a suite of 681 instances that were small enough for the IPP4.0 instantiation routine to cope with.⁵ Test runs were given 300 seconds time and 400 M Bytes memory on a Sun machine running at 163 MHz.

⁴Descriptions of the randomisation strategies and the source code of all generators are publicly available at <http://www.informatik.uni-freiburg.de/~hoffmann/ff-domains.html>.

⁵In some domains, like *Freecell*, the routine can handle only comparatively small instances which is, we think, due to the implementation: this is intended to deal with full scale ADL constructs (Koehler and Hoffmann 2000), and fails to efficiently handle the simple STRIPS special case.

We show the number of instances handled successfully, and the average running time per domain. For FF, we count as successfully handled those instances where a plan was found. For RIFO, success on an instance means termination of the pre-process within the given time and memory bounds. We count only those such instances for which we know they are solvable—those were FF found a plan. Times are averaged over those instances that both implementations handled successfully. Running time for RIFO does *not* include IPP's instantiation time. See the data in Table 3.

domain	success		running time	
	RIFO	FF	RIFO	FF
Assembly	33	33	1.08	9.16
Blocksworld-3ops	21	21	4.45	2.90
Blocksworld-4ops	21	21	0.91	0.07
Briefcaseworld	20	20	1.86	1.12
Bulldozer	17	17	1.97	4.54
Freecell	33	50	21.90	0.06
Fridge	22	22	0.23	0.22
Grid	22	35	43.77	7.72
Gripper	25	25	0.45	0.31
Hanoi	8	8	0.34	4.79
Logistics	35	35	46.80	1.18
Miconic-ADL	22	40	14.03	3.77
Miconic-SIMPLE	25	25	0.64	0.54
Miconic-STRIPS	25	25	0.64	0.37
Movie	30	30	0.00	0.00
Mprime	48	61	16.47	1.19
Mystery	23	36	27.16	12.51
Schedule	15	28	28.34	14.06
Tireworld	20	20	6.03	0.48
Tsp	25	25	4.90	0.12

Figure 3: Instances handled successfully, and average running times for RIFO and FF per domain. The successfully handled instances for FF are those for which a plan was found. The successfully handled instances for RIFO are those solvable ones where RIFO terminated within the given time and memory bounds.

In 3 of the 20 domains shown (*Assembly*, *Bulldozer* and *Hanoi*) does RIFO terminate faster than FF solves the tasks. In 10 domains, RIFO's average running time is orders of magnitude higher than that of FF. In some domains, RIFO exhausts resources on a number of instances that FF manages to solve. We conclude that RIFO is, as a pre-process, not competitive with FF, at least in its implementation within IPP4.0.

In our second experiment, we evaluated the \mathcal{O}_{il} and \mathcal{O}_{al} methods in terms of runtime behaviour and pruning impact. Test runs were given 300 seconds and 200 M Bytes memory on a Sun machine running at 300 MHz. We used a total of 2334 large instances generated to be of a size challenging for FF, but still within its range of solvability within the given resources. On each task, we ran three implementations: FF-v2.2 (Hoffmann and Nebel 2001a), and two versions of the same code where \mathcal{O}_{il} respectively \mathcal{O}_{al} were computed as a pre-process. In the latter two versions, FF's heuristic function was changed to consider only those effects contained in

the filtered action set. We measured the overhead produced by the filtering methods, the total running times, the time taken for state evaluations, and the number of effects in the complete respectively filtered action sets. See the data in Table 4.

All measured values were averaged over those instances where all three methods succeeded in finding a plan (we tried inserting default values in the other cases, but found that this generally obfuscated the results more than it helped understanding them). In 12 domains, the solved instances were exactly the same across all methods anyway. In another 3 domains, differences occurred only in very few instances (1 - 2 out of 90 - 181). In *Grid* and *Mprime*, computing \mathcal{O}_{il} sometimes exhausted resources (in *Grid*, 41 of 179 cases, in *Mprime*, 51 of 196 cases). In *Assembly* and *Logistics*, the speed-up produced by the filtering methods helped FF to solve some more instances (165 instead of 159 in *Assembly*, 87 instead of 75 in *Logistics*). In *Schedule*, original FF solved 85 instances instead of 74 solved with \mathcal{O}_{il} or \mathcal{O}_{al} on. We will come back to the *Schedule* domain later.

Let us first focus on the overheads produced. Compare the first two columns with the third column, showing average solving time for FF. The overhead for \mathcal{O}_{il} is neglectable (i.e., below 0.2 seconds on average) in 11 of our domains, and orders of magnitude smaller than FF’s average time in another 4 domains. In the 3-operator *Blocksworld*, the overhead is a third of FF’s time, and below a second anyway. In the remaining four domains, the pre-process can hurt: In *Freecell* and *Mystery*, it takes almost as much time as FF, and in *Grid* and *Mprime* it can take much longer time (we will later describe an approach to automatic recognition of the cases where the pre-process takes a lot of time). The overhead for \mathcal{O}_{al} is neglectable in 14 of the domains, and still a lot smaller than FF’s running time in the other cases.

Concerning the impact that the filtering methods have on the number of effects in the action set, the speed of the heuristic function, and the total running time, it is easiest to start by looking at the rightmost three columns in Table 4. The methods do not prune any effects in 6 of our domains, and prune very few effects in another 7 domains. Moderately many effects are pruned in the *Assembly*, *Gripper* and *Miconic-ADL* domains. In the *Briefcaseworld*, *Logistics*, *Schedule* and *Tireworld* domains, the pruning is drastic.⁶ As a consequence, the average time taken for a single state evaluation (total evaluation time divided by number of evaluated states) is, when using the filtering methods, significantly lower in the four domains with drastic pruning, and slightly lower in the three domains with moderate pruning. Look at the respective columns, specifying the average state evaluation time in milliseconds. In *Briefcaseworld*, *Logistics* and *Tireworld*, the faster heuristic functions translate directly into improved total running time. In *Schedule*, there seems to be some interaction between the filtering methods and FF’s internal algorithmic techniques: though the heuris-

tic function is faster, total running time gets worse. This is because FF evaluates, with the filtered action sets, more states before finding the goal. An explanation for this might be FF’s helpful actions heuristic, which biases the actions selected to those that could also be selected by the heuristic function (Hoffmann and Nebel 2001a). For \mathcal{O}_{al} , it might also be that some states become unsolvable—though we did not find such a case in the experiment described below.

We finally consider the safety of the \mathcal{O}_{al} filtering method with respect to completeness in the relaxation. The method is empirically safe in the sense that, from the 2334 examples used in the above described experiment, only 11 *Schedule* instances could not be solved with the method on though they could be solved with original FF. The failures were only due to the runtime restrictions we applied in the experiment: given slightly more time, FF with \mathcal{O}_{al} filtering *could* solve those 11 instances. In addition to this result, we ran the following experiment. We generated a total of 2099 instances from our 20 domains, small enough to build an explicit representation of the state space. To each instance, we looked at all reachable states, and verified whether the goal was reachable when ignoring delete lists, using the whole action set \mathcal{O} , or the filtered action set \mathcal{O}_{al} . In 19 of our 20 domains, all states solvable with \mathcal{O} were still solvable with \mathcal{O}_{al} . Only in *Grid* did we find states that became unsolvable. This occurred in 19 of 100 instances. In all those instances, the states becoming unsolvable were less than 1% of the state space.

Current Work

Our current results reveal two drawbacks of the presented approach:

1. \mathcal{O}_{il} filtering sometimes hurts in the sense that it can take a lot of running time.
2. While \mathcal{O}_{il} is provably and \mathcal{O}_{al} empirically safe, both methods have strong pruning impacts only in a few domains.

We address these difficulties in two lines of work that we are currently pursuing. One idea to avoid the first problem is estimate the runtime that would be necessary for computing \mathcal{O}_{il} . One can then skip the pre-process if it appears to be too costly. \mathcal{O}_{il} is computed by the repeated search for legal generation paths, which is more costly the more edges there are in the generation graph. An upper approximation to the number of edges is:

$$\sum_{f \in F} |\{o \in \mathcal{O} \mid f \in \text{add}(o)\}| * |\{o \in \mathcal{O} \mid f \in \text{pre}(o)\}|$$

Here, F denotes the set of all logical atoms that appear in the actions \mathcal{O} . If $|\text{pre}(o) \cap \text{add}(o')| \leq 1$ for all $o, o' \in \mathcal{O}$, then the approximation is exact. We have computed, for the 2334 large instances from the second experiment described in the previous section, the above upper limit, as well as the real number of edges in the generation graph. In 8 domains, the values are the same across all instances. In the remaining domains, the values are close. There seems to be a close correspondence to the running time consumed by the \mathcal{O}_{il} computation: the averaged approximation values are between 3

⁶In the *Briefcaseworld*, for example, amongst other things all actions are thrown out that take objects out of the briefcase—taking objects out of the briefcase is not necessary within the relaxation, where keeping them inside never hurts.

domain	overhead		total time			single evaluation			number of effects		
	$\mathcal{O} _{il}$	$\mathcal{O} _{al}$	FF	$+\mathcal{O} _{il}$	$+\mathcal{O} _{al}$	FF	$+\mathcal{O} _{il}$	$+\mathcal{O} _{al}$	\mathcal{O}	$\mathcal{O} _{il}$	$\mathcal{O} _{al}$
Assembly	0.01	0.00	12.83	12.01	11.53	1.75	1.64	1.57	426.72	358.64	358.64
Blocksworld-3ops	0.59	0.08	1.62	2.24	1.61	3.41	3.47	3.21	1854.62	1854.62	1819.09
Blocksworld-4ops	0.04	0.00	1.04	1.08	0.99	0.76	0.76	0.72	290.06	290.06	286.94
Briefcaseworld	0.04	0.01	5.51	1.10	1.01	4.26	0.82	0.77	4106.50	670.00	670.00
Bulldozer	0.02	0.01	6.89	7.00	6.67	1.27	1.29	1.23	599.22	599.22	599.17
Freecell	11.14	0.53	17.47	28.77	17.33	8.19	8.26	7.87	4725.37	4668.17	4668.17
Fridge	0.00	0.00	1.71	1.72	1.70	0.96	0.97	0.95	302.22	302.22	302.22
Grid	76.12	0.54	11.57	87.90	11.93	7.95	8.09	7.89	6424.35	6424.35	6417.28
Gripper	0.03	0.01	0.33	0.36	0.27	1.38	1.39	1.11	478.00	478.00	359.00
Hanoi	0.00	0.00	4.73	4.80	4.58	0.83	0.84	0.80	244.50	244.50	244.50
Logistics	2.24	0.22	83.57	45.51	43.52	37.45	19.39	19.40	19904.53	15347.80	15347.80
Miconic-ADL	1.09	0.29	13.91	13.48	12.23	12.72	11.33	10.92	2988.20	2700.52	2700.52
Miconic-SIMPLE	0.17	0.02	0.52	0.69	0.51	2.14	2.15	2.04	1504.00	1504.00	1504.00
Miconic-STRIPS	0.16	0.02	0.39	0.55	0.38	1.92	1.94	1.82	1504.00	1504.00	1504.00
Movie	0.00	0.00	0.00	0.00	0.00	0.33	0.23	0.17	7.00	7.00	7.00
Mprime	60.20	0.79	5.40	65.66	6.13	16.38	16.54	16.18	12138.00	12136.97	12136.32
Mystery	12.87	1.05	20.11	33.26	21.14	15.59	15.80	15.57	14644.20	14644.20	14641.38
Schedule	0.48	0.01	52.31	55.56	54.52	10.86	7.07	6.99	3049.84	917.43	916.82
Tireworld	1.34	0.08	23.23	13.27	7.07	19.31	9.92	5.81	7105.50	4479.00	3646.00
Tsp	0.01	0.09	0.13	0.14	0.22	2.09	2.11	2.13	4390.00	4390.00	4390.00

Figure 4: Average overhead for pre-processing, average total running time, average running time per state evaluation, and average number of effects, shown per planning domain and filtering method used. Times are in seconds except for state evaluations, where milliseconds are specified.

and 11 millions in those four domains were $\mathcal{O}|_{il}$ takes a lot of computation time, and below one million in all other domains. It remains to establish an exact criterion that uses this correspondence for deciding about whether to compute $\mathcal{O}|_{il}$ or not.

Addressing the second problem, lack of strong pruning impacts in many domains, appears to us to be a much harder task. If one wants to obtain stronger pruning impacts, there does not seem to be a way around sacrificing empirical, let alone theoretical safety. We are currently experimenting with combining our techniques and RIFO’s information selection heuristics. We have implemented some first strategies. As expected, the pruning impact became more drastic in some examples. However—as we also expected—a lot of states became unsolvable for the heuristic. Often all paths to the goal were interrupted by such a state, rendering the whole planning task unsolvable for FF.

Conclusion and Outlook

We have presented a new approach towards defining irrelevance in planning tasks, concerning actions that are not necessary within the relaxation used in the heuristic functions of state-of-the-art heuristic planners like HSP and FF. We have derived a sufficient condition for relaxed irrelevance, and we have presented two approximation methods that can be used for filtering action sets. One of those methods, $\mathcal{O}|_{il}$ computation, has been proven to be complete within the relaxation, the other method, $\mathcal{O}|_{al}$ computation, has been shown to be empirically safe. The methods have drastic pruning impacts in some domains, speeding up FF’s heuristic function, and in effect the planning process (except in *Schedule*, where

there appears to be some interaction with FF’s internal techniques). Computing $\mathcal{O}|_{al}$ never hurts in the sense that the required overhead is neglectible in most of the cases, and always small compared to FF’s running time. Computing $\mathcal{O}|_{il}$ does not hurt in 16 of our 20 domains. We have outlined an approach how the other cases might be recognisable automatically. The challenge remains to find filtering methods that are still empirically safe in most of the cases, but have stronger pruning impacts.

References

- Bacchus, F. 2000. *Subset of PDDL for the AIPS2000 Planning Competition*. The AIPS-00 Planning Competition Comitee.
- Blum, A. L., and Furst, M. L. 1997. Fast planning through planning graph analysis. *Artificial Intelligence* 90(1-2):279–298.
- Bonet, B., and Geffner, H. 1998. HSP: Heuristic search planner. In *AIPS-98 Planning Competition*.
- Bonet, B., and Geffner, H. 1999. Planning as heuristic search: New results. In Biundo, S., and Fox, M., eds., *Recent Advances in AI Planning. 5th European Conference on Planning (ECP’99)*, Lecture Notes in Artificial Intelligence, 60–72. Durham, UK: Springer-Verlag.
- Bonet, B., and Geffner, H. 2001. Planning as heuristic search. *Artificial Intelligence* 129(1–2):5–33.
- Bonet, B.; Loerincs, G.; and Geffner, H. 1997. A robust and fast action selection mechanism for planning. In Kuipers, B. J., and Webber, B., eds., *Proceedings of the 14th National*

Conference of the American Association for Artificial Intelligence (AAAI-97), 714–719. Portland, OR: MIT Press.

Bylander, T. 1994. The computational complexity of propositional STRIPS planning. *Artificial Intelligence* 69(1–2):165–204.

Fikes, R. E., and Nilsson, N. 1971. STRIPS: A new approach to the application of theorem proving to problem solving. *Artificial Intelligence* 2:189–208.

Hoffmann, J., and Nebel, B. 2001a. The FF planning system: Fast plan generation through heuristic search. *Journal of Artificial Intelligence Research* 14:253–302.

Hoffmann, J., and Nebel, B. 2001b. RIFO revisited: Detecting relaxed irrelevance. Technical Report 153, Albert-Ludwigs-Universität, Institut für Informatik, Freiburg, Germany.

Koehler, J., and Hoffmann, J. 2000. On the instantiation of ADL operators involving arbitrary first-order formulas. In *Proceedings ECAI-00 Workshop on New Results in Planning, Scheduling and Design*.

Koehler, J.; Nebel, B.; Hoffmann, J.; and Dimopoulos, Y. 1997. Extending planning graphs to an ADL subset. In Steel and Alami (1997), 273–285.

Nebel, B.; Dimopoulos, Y.; and Koehler, J. 1997. Ignoring irrelevant facts and operators in plan generation. In Steel and Alami (1997), 338–350.

Pednault, E. P. 1989. ADL: Exploring the middle ground between STRIPS and the situation calculus. In Brachman, R.; Levesque, H. J.; and Reiter, R., eds., *Principles of Knowledge Representation and Reasoning: Proceedings of the 1st International Conference (KR-89)*, 324–331. Toronto, ON: Morgan Kaufmann.

Steel, S., and Alami, R., eds. 1997. *Recent Advances in AI Planning. 4th European Conference on Planning (ECP'97)*, volume 1348 of *Lecture Notes in Artificial Intelligence*. Toulouse, France: Springer-Verlag.